Mental Health Facts **CHILDREN & TEENS**

Fact: 1 in 5 children ages 13-18 have, or will have a serious mental illness.1



20% of youth ages 13-18 live a with mental health condition¹



11% of youth have a mood disorder¹



10% of youth have a behavior or conduct disorder¹



8% of youth have an anxiety disorder¹

Impact



50%

50% of all lifetime cases of mental illness begin by age 14 and 75% by age 24.1

10 yrs

The average delay between onset of symptoms and intervention is 8-10 years.¹

37%



37% of students with a mental health condition age 14 and older drop out of school—the highest dropout rate of any disability group.1

70%



70% of youth in state and local juvenile justice systems have a mental illness.1

Suicide



3rd

Suicide is the 3rd leading cause of death in youth ages 10 - 24.1



90% of those had died by suicide had an underlying mental illness.1

Warning Signs



Feeling very sad or withdrawn for more than 2 weeks (e.g., crying regularly, feeling fatigued, feeling unmotivated).



Trying to harm or kill oneself or making plans to do so.



Out-of-control, risk-taking behaviors that can cause harm to self or others.



Sudden overwhelming fear for no reason, sometimes with a racing heart, physical discomfort or fast breathing.



Not eating, throwing up or using laxatives to lose weight; significant weight loss or gain.



Severe mood swings that cause problems in relationships.



Repeated use of drugs or alcohol.



Drastic changes in behavior, personality or sleeping habits (e.g., waking up early and acting agitated).



Extreme difficulty in concentrating or staying still that can lead to failure in



Intense worries or fears that get in the way of daily activities like hanging out with friends or going to classes.

4 Things Parents Can Do



Talk with your pediatrician



Get a referral to a mental health specialist



the school



Connect with other families

This document cites statistics provided by the National Institute of Mental Health. www.nimh.nih.gov



